


Product datasheet



Key facts

- [Pink face paper](#)
- Brown reverse side paper
- Available in tapered and square edge
- Complies with EN 520 - Type F Thermal
- Conductivity 0.24W/mK

Marketing description

ISOVER PREMIUM 33 is 60% more hardwearing than standard plaster providing excellent resistance to glancing impacts or accidental damage such as scratching, gouging or chipping.

Ideal for high-traffic areas including corridors, stairwells and canteens in healthcare, leisure, social housing, education or office buildings, as well as busy hallways and rooms in houses.

ThistlePro DuraFinish plaster can be used on plasterboard or undercoat plasters, or for re-plastering and repair work on previously finished walls.

Any damage to small areas does not spread or cause debonding, making repairs easier.

ThistlePro DuraFinish plaster is 60% more hardwearing than standard plaster providing excellent resistance to glancing impacts or accidental damage such as scratching, gouging or chipping.

Ideal for high-traffic areas including corridors, stairwells and canteens in healthcare, leisure, social housing, education or office buildings, as well as busy hallways and rooms in houses.

ThistlePro DuraFinish plaster can be used on plasterboard or undercoat plasters, or for re-plastering and repair work on previously finished walls.

Any damage to small areas does not spread or cause debonding, making repairs easier.

Packaging

Name	UC EAN code	CPU length	Width	Height	Thickness	Dimensions	Packaging	Palette
Product variation	3565414503	1200	145		1	2520 × 1200 × 10	4	20
Product variation 2	0493417231	2.9	1.3	4.5	3.8	3000 × 1400 × 1600		

Technical Characteristic

Dimension

Number of plates per facing

2

Number of layers

5

Total thickness

140 - max 3,9

Superficial Hardness

HD

General

Name

Isover Premium 33

Partition type

Separative Standard

Insulate type

Glass wool

Activ'Air

No

Performances

Fire Protection

60

Acoustic attenuation

A2 - S1, d0

Shock Proof

120

References

n° PV acoustic

RE CSTB AC14 63993720/2

n°PV fire

RS 15-036

Want to know more?

Impact resistance

Further insulation of the front house

Tom Tapanila made an energy renovation of his frontman's house - one wall at a time. The end result is a more comfortable, draft-free house and a significantly reduced energy bill. Tom and his family live in a blue, charming wooden house in Tuusula, right near the center of Hyrylä. The front-type ho

25 May 2020